


Introduction

- Humans reliably attribute social interpretations to highly impoverished stimuli, such as interacting geometrical shapes (Heider and Simmel, 1944).
- Perception of animacy from such simple figures is dependent on a number of critical stimulus parameters (Tremoulet, Feldman 2000, 2006; Henrik et al., 2014).
- The perception of basic interactive actions, such as 'chasing' or 'fighting' has been addressed in several studies (Gao and Scholl 2013; Scholl and Tremoulet 2000; McAleer and Pollick 2000, Blythe et al. ,1999); a set of six types of interactive movements has been repeatedly used in these studies.
- This perception of interaction has been explained by high-level cognitive processes, such as probabilistic reasoning and inference (Baker et al., 2009).
- Building on classical biologically-inspired models for object and action perception (Riesenhuber and Poggio, 1999; Giese and Poggio, 2003), we propose a learning-based hierarchical neural network model that analyses such stimuli based shape and motion features directly from video sequences.
- The model has a simple feed-forward architecture and comprises two processing streams for form and object motion in the retinal frame of reference.
- The model contains only simple physiologically plausible operations.

Goal of our work


- Investigation if and how basic aspects of social ad animacy perception can be reproduced by simple and physiologically plausible neural mechanisms, exploiting a hierarchical (deep) model of the visual pathway.

Generation of Stimuli




Sample trajectories from different intention categories

(Agent 1: blue, agent 2: red. Color saturation indicates time, the color fading with time.)




Model Architecture



- Hierarchical neural network with two pathways that analyzes form and motion features.
- Two top levels that compute perceived animacy and classify perceived interaction.
- The choice of features for the computation of agency judgements was driven by results in the psychophysical literature.
- Critical features: absolute velocity and acceleration of agents, relative distance, velocity, and acceleration (McAleer and Pollick 2008).
- Testing multiple types of classifiers at the top level.

Results


Perception of animacy from the motion of a single object (Tremoulet, Feldman 2000)



Social interaction classification

Confusion matrices for the six tested classifiers

TP: true positive rate, FN: false negative rate. 50 videos per class.



Accuracy of different classifiers

| Classifier | Accuracy |
|---------------------|----------|
| Linear SVM | 99.0% |
| Gaussian kernel SVM | 96.3% |
| LDA | 94.7% |
| KNN | 94.7% |
| Nonlinear LDA | 94.3% |
| Neural Network | 94.0% |

- Highest confusion rates between 'flirting' and 'chasing'; sometimes also 'playing' and 'guarding'.
- For all classifier types accuracy is at least 94 %, best classification result is obtained with linear support vector machine, reaching an accuracy of 99 %.
- All original videos from McAleer and Pollick (2008) were classified correctly, though they were not part of the training set.

Conclusions

- While our model is a quite simple but physiologically plausible it was able to reproduce several important characteristics of human perception of agency and of social interactions from strongly impoverished displays.
- Since the model is in principle consistent with deep architectures for form and action recognition that can achieve high performance level it can be extended to the processing of much more challenging stimulus material.

References

- Heider, F. and Simmel, M.: An Experimental Study of Apparent Behavior. The American Journal of Psychology (1944)
- Tremoulet, P.D., Feldman, J.: Perception of animacy from the motion of a single object. Perception 29, 943–951 (2000)
- Tremoulet, P. D. and Feldman, J.: The influence of spatial context and the role of intentionality in the interpretation of animacy from motion. Perception and psychophysics (2006)
- Hernik, M., Fearon, P., and Csibra, G.: Action anticipation in human infants reveals assumptions about anteroposterior body structure and action. Proceedings. Biological sciences (2014)
- Gao, T. and Scholl, B. J.: Perceiving animacy and intentionality. In: Rutherford, M. D. and Kuhlmeier, V. A., editors. Social Perception. The MIT Press (2013)
- Scholl, B. J. and Tremoulet, P. D.: Perceptual causality and animacy. Trends in Cognitive Sciences. 4(8):299–309 (2000)
- McAleer, P., Pollick, F.E.: Understanding intention from minimal displays of human activity. Behavior Research Methods 40, 830–839 (2008)
- Fajen, B.R., Warren, W.H.: Behavioral dynamics of steering, obstacle avoidance, and route selection. Journal of Experimental Psychology: HPP (2003)
- Giese, M.A., Poggio, T.: Neural mechanisms for the recognition of biological movements. Nat Rev Neurosci 4, 179–192 (2003)
- Riesenhuber, M., Poggio, T.: Hierarchical models of object recognition in cortex. Nat. Neurosci. 2, 1019–1025 (1999)
- Blythe, P. W., Todd, P. M., & Miller, G. F.: How motion reveals intention: Categorizing social interactions. Simple heuristics that make us smart, pp. 257–285 (1999)
- Baker, C.L., Saxe, R., Tenenbaum, J.B.: Action understanding as inverse planning. Cognition, Reinforcement learning and higher cognition 113, 329–349 (2009)

Acknowledgements

This work was supported by: HFSP RGP0036/2016, BMBF FKZ 01GQ1704, COGIMON H2020–644727, and DFG KA 1258/15-1.